	Application No.	Applicant(s)
Notice of Allowability	09/533,365	KITAJIMA ET AL.
	Examiner	Art Unit
	Caridad M. Everhart	2825
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS ( herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Ric of the Office or upon petition by the applicant. See 37 CFR 1.313  1. This communication is responsive to 12-10-2003.	(OR REMAINS) CLOSED in the or other appropriate communi GHTS. This application is sub	nis application. If not included cation will be mailed in due course. <b>THIS</b>
2. The allowed claim(s) is/are <u>32,34-35,37-38</u> .		
3. The drawings filed on 22 March 2000 are accepted by the B	Examiner.	
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority un a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have 2.  Certified copies of the priority documents have 3.  Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" on oted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ul>	been received. been received in Application I cuments have been received in the first this communication to file a	No. <u>09/014,981</u> In this national stage application from the
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Paper No./Mail Date</li> </ul>	on's Patent Drawing Review (	,
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the common that the seconding to 37 CFR of the second to t	drawings in the front (not the back) of 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F	sit of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOLO	IAL must be submitted. Note the DGICAL MATERIAL.
<ul> <li>Attachment(s)</li> <li>1. ☐ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 1-27-2003</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Sum Paper No./Ma 8), 7. ☑ Examiner's Ar	mal Patent Application (PTO-152) mary (PTO-413), all Date nendment/Comment atement of Reasons for Allowance

Application/Control Number: 09/533,365

Art Unit: 2825

منتذ د الع

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attoreny Stephen G. Adrian on 3-8-2004.

The application has been amended as follows:

In the Abstract, the word "comprises" has been deleted, and the word "includes" has been substituted therefor.

Information Disclosure Statement

The IDS filed 1-27-2003 has been reviewed. The references cited are relevant to applicant's disclosure. JP02271533 teaches forming a multilayered bump.

JP05218046 teaches supplying solder to a gold bump and avoiding oxidation of the supplied solder by supplying gas which avoids oxidation.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Caridad M. Everhart whose telephone number is 571-272-1892. The examiner can normally be reached on Monday through Fridays 7:30-4:00.

Application/Control Number: 09/533,365

Art Unit: 2825

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew S. Smith can be reached on 571-272-1907. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C. Everhart 3-15-2004

CARIDAD EVERY RT PRIMARY EXAMINATION